製品仕様書

08010D

Net-Access™ 電源コンセント用ブラケット

Part Numbers: CVPDUB

©Panduit Corporation Japan Branch



製品仕様

材質	ブラケット	スチール

環境性能

使用環境	使用温度範囲	−10 ～ +60 [℃]
	使用湿度範囲	25 ～ 85 [%]（結露なきこと）
	設置場所	事務所・住宅等の屋内のみ （水気・直射日光・機械的衝撃・過重等は厳禁）

寸法

詳細は別紙寸法図を参照（寸法はインチとなり、[ ]内はメートル表示です）

公称寸法	W 216 × D 91 × H 152 [mm]（公差 ±0.8 [mm]）

質量

公称重量	1.2 [kg]

カラー

カラー	BL（黒）

構成品

POU 実装ブラケット	1 式	上下各 1 個
ハードウェアキット	1 式	
取扱説明書	1 式	

含有化学物質調査

調査項目	RoHS 対応済み	現用品

改版履歴

版数	改版日	変更内容	担当
01	2008.01.10	初版制定	山之内
02	2011.02.21	仕様変更に伴い画像修正	久保
03	2012.10.5	図面の更新	猿渡
04	2013.10.17	寸法更新	伊達

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.



APPLICATION VIEW-
CABINET NOT INCLUDED

PANDUIT PART NO.	WEIGHT
CVPDUB	2.7 LBS/EACH 1.2 Kg/EACH

1. VISIT OUR ON-LINE CATALOG AT WWW.PANDUIT.COM FOR A LIST OF CURRENT PARTS APPLICABLE FOR USE WITH THIS PRODUCT.
2. DIMENSIONS IN PARENTHESES
3. PARTS SUPPLIED:
   1- PAIR OF PDU MOUNTING BRACKETS
   1- HARDWARE KIT
   1- INSTRUCTION SHEET
4. FULLY BONDED STRUCTURE WHEN ASSEMBLED PER INSTRUCTIONS.
5. SEE INSTALLATION INSTRUCTIONS CM344** FOR EXACT MOUNTING LOCATIONS.



MODEL FILENAME: V10502ZH_DC/03.PRT

CAD FILENAME/LAYERS: V10502ZH_DC/03A.PRT

PANDUIT CORP. TINLEY PARK, ILLINOIS

POU VERTICAL MOUNTING BRACKET (CVPDUB) CUSTOMER DRAWING

UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE:

INCHES		[METRIC - MILLIMETER]		ANGLE
X.X	+/- 0.06	X.	+/- 1.5	+/- 1°
X.XX	+/- 0.03	X.X	+/- 0.8	
X.XXX	+/- 0.015	X.XX	+/- 0.4	

UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES, THIRD ANGLE PROJECTION.

REV	DATE	BY	CHK	DESCRIPTION	ECN - R	CUST	SUP	OTH
03A	2-20-12	TWV	NAGL	P/N: WAS V10502CU_DC	V10502ZH-DC	JDWE		

DRAWN BY: TWV
DATE: 2-20-12
CHK'D: NAGL
MAT'L: SEE NOTES
SCALE: NONE
DRAWING NO.: V10502ZH-DC SHEET 1 OF 2
DWG SIZE: A

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.





MODEL FILENAME: V10502ZH_DC/03.PRT

CAD FILENAME/LAYERS: V10502ZH_DC/03A.PRT

PANDUIT CORP. TINLEY PARK, ILLINOIS

POU VERTICAL MOUNTING BRACKET (CVPDUB) CUSTOMER DRAWING

UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE:

INCHES		[METRIC - MILLIMETER]		ANGLE
X.X	+/- 0.06	X.	+/- 1.5	+/- 1°
X.XX	+/- 0.03	X.X	+/- 0.8	
X.XXX	+/- 0.015	X.XX	+/- 0.4	

UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES, THIRD ANGLE PROJECTION.

REV	DATE	BY	CHK	DESCRIPTION	ECN - R	CUST	SUP	OTH
03A	2-20-12	TWV	NAGL	SEE SHEET 1 OF 2 FOR REVISIONS	V10502ZH-DC	JDWE		

DRAWN BY: TWV

DATE: 2-20-12

CHK'D: NAGL

MAT'L: SEE NOTES

SCALE: NONE

DRAWING NO.: V10502ZH-DC SHEET 2 OF 2

DWG SIZE: A